



TASKalfa 7550ci | Color Multifunctional System

Powering Color
Performance...
Company-wide.



The New Standard for Performance Excellence

Designed specifically for your business, the TASKalfa 7550ci incorporates the **flexibility** to effortlessly tackle both day-to-day document imaging at an impressive 75 ppm black and 70 ppm color as well as more complex projects, through **highly productive functionality**, superior document handling and flexible product configurations. **High-end printing capabilities** and **vibrant color technology**, including an optional EFI Fiery® Controller, enable you to create professional quality printed pieces in-house, ultimately reducing outsourcing costs. **Integrated business applications** provide added power and capabilities to transform your document workflow and simplify your business processes.



Kyocera's **award-winning ultra-reliability** and unique long-life technology ensure superior performance, proven productivity and maximum efficiency. When it comes to document imaging innovation and quality you can rely on, the TASKalfa 7550ci delivers.

Feature-Rich Design Brings Innovation to Your Enterprise

The TASKalfa 7550ci is strong on features and configurations, offering the flexibility to scale your MFP to the specific needs of your enterprise. It's all about feature-rich design with a focus on value and exceptional color functionality.

Only From Kyocera

Kyocera Mita Corporation is a global leader in the digital imaging industry, with an award-winning line of TASKalfa multifunctional systems and ECOSYS laser printers, products that consistently set the standard for high performance, superior image quality, ease-of-use and durability. Along with a full complement of advanced business applications and networking solutions, Kyocera's robust product line supports your need for maximum productivity at minimal total cost.

Kyocera continually strives to raise the bar for excellence in both products and service for exceptional results you and your business can count on.

Keeping the Future Green

Kyocera is committed to pursuing a harmonious balance between economic development and environmental preservation. We adhere to the goals of our worldwide Environmental Action Plan in developing office solutions with environmentally friendly and superior energy- and supply-saving features, without compromising your productivity.

- **Lightning fast processing speeds** of 916 MHz, with standard 2 GB of RAM and Dual 160 GB of Hard Disk Drive space support exceptional all-in-one productivity.
- An adjustable 10.2" **Color Touch-screen Control Panel** is mounted on a movable arm for maximum viewing comfort. Intuitive prompts, on-board help guidance and accessibility display make programming from the device quick and effortless.
- Kyocera's **long life technology** and 'class leading' drum yields deliver extended preventive maintenance intervals and maximize device "uptime". This adds up to ultra-reliable operation and a low total cost of ownership.
- **Kyocera Command Center RX**, the MFP's embedded web home page, gives you the remote access you need to check device status, establish system settings, or access stored Document Box files from your desktop.
- **Robust connectivity** features including standard Gigabit Ethernet, offer seamless integration within virtually any network environment or platform.
- A standard **USB Host Interface** provides convenient print-from or scan-to capabilities for today's 'on the go' workforce in XPS, PDF, JPEG and TIFF.
- A standard 270 sheet **Dual Scan Document Processor** enables super fast scan speeds of up to 200 images per minute.
- The optional **4,000-sheet finisher** provides the professional touch your output deserves, and lets you efficiently handle production runs in-house, optimizing time and minimizing costs.
- **Impressive toner yields** of 70,000 pages for black and 30,000 pages for each color, allow you to run long print jobs with maximum quality and productivity, while minimizing interruption.

The Power to Take Control of Everyday Tasks and Keep Information Moving

Information is your most important business asset, and you need a 'no holds barred' document imaging system to keep it flowing seamlessly. The TASKalfa 7550ci raises the bar on core functionality with unparalleled efficiency:

- **Exceptional print and copy capabilities** power your communications via robust paper handling up to 12" x 47" and 110 lb cover, plus a remarkable 7,650 sheet paper capacity option for long print runs and minimal interruptions.
- **Secure Document Box** lets you keep frequently used documents close at hand for hassle free printing, secure file sharing and pin-based Private Print.
- Pre-program and store commonly used copy, scan and print settings at the control panel and the KX Driver to simplify your daily tasks.
- Optional **Super G3, LAN Fax and Dual Fax** capability add versatility while leveraging your investment in an MFP.



Enhanced MFP Performance... Powered by HyPAS®

Enhance your TASKalfa 7550ci's capability with unique and scalable business applications, powered by HyPAS –Kyocera's powerful software development platform. These applications, developed by Kyocera or by our third-party solution partners, allow your business to further optimize your TASKalfa MFPs' "out-of-the-box" performance. Kyocera applications transform your MFP into a powerful resource that suits your existing document imaging and workflow needs today, as well as delivers the flexibility you need for tomorrow.

Kyocera's expanding suite of business applications include:

- **Capture2Go** - Mobile printing and scanning for your Apple iPhone, iPad and iPod Touch.
- **OpenText RightFax** - Scan and send documents to the RightFax server directly from TASKalfa MFPs for full fax server integration.
- **SharePoint Connector** - Microsoft SharePoint users can scan documents into their SharePoint folder and search/print directly from the TASKalfa MFP control panel.
- **Card Authentication** - Authenticate, Authorize and Track individual MFP usage with the simple swipe of a HID-card.
- **DMS Link** - Connect your TASKalfa MFP to popular document management systems like SentryFile and Laserfiche for document capture and routing.

Visit www.kyoceramita.com to learn more about additional business applications designed to fit your essential needs.

Make a Professional Statement with Color Innovation

From banners to booklets, nothing handles color like the TASKalfa 7550ci. Easily manipulate and optimize color with precision through the KX Driver's Imaging Tab. For more graphic-intensive workflows, elevate your color to the next level with the optional EFI Fiery® controller. Easily programmable, it gives you the advanced management tools you need for vibrant, consistent and spot-on color across multiple media.



Which Configuration is Right for You?


Truly designed with you in mind, the TASKalfa 7550ci brings configuration flexibility to the workplace, allowing you to customize the MFP to your specific paper handling needs.

Paper Handling Flexibility

| InLine | Side Deck | Total Paper Capacity |
|--------|-----------|----------------------|
| 1 | | = 4,150 sheets |
| 1 | + 2 | = 7,150 sheets |
| 1 | + 3 + 4 | = 5,650 sheets |
| 1 | + 3 + 5 | = 7,650 sheets |



Optional 4,000 Sheet Finisher
Additional Options...
 2/3 Hole Punch
 7-Bin Mailbox
 Booklet and Tri-Fold
 Copy Tray





Shown with standard 270 sheet DSDP



Shown with standard 270 sheet DSDP, optional 1,500 x 2 sheet trays, 500 sheet multi-purpose tray and 4,000 sheet finisher



Shown with standard 270 sheet DSDP, optional 3,000 sheet side LCT and 4,000 sheet finisher



Newly designed, easy-to-use large color touch screen control panel

HyPAS™

Hybrid Platform for Advanced Solutions

Basic Specifications

| | |
|--------------------------|--|
| Configuration | Color Multifunctional System – Print/Scan/Copy/Optional Fax |
| Pages Per Minute | Black – Letter: 75 ppm, Legal: 45 ppm, Ledger: 37 ppm, 12" x 18": 37 ppm (print only) Color – Letter: 70 ppm, Legal: 35 ppm, Ledger: 35 ppm, 12" x 18": 35 ppm (print only) |
| Warm-up Time | 60 Seconds or Less (Power On) |
| First Page Out | Copy: 4.8 Seconds or Less Black, 5.9 Seconds or Less Color; Print: 4.9 Seconds or Less Black, 6.1 Seconds or Less Color |
| Resolutions / Bit Depth | 600 x 600 dpi; 9600 x 600 dpi interpolated / 8 bit depth |
| Memory / Hard Disk Drive | 2 GB RAM Standard / Dual 160 GB HDD |
| Duplex | Standard Stackless Duplex Supports Statement to 12" x 18", 16 lb Bond - 140 lb Index (60 – 256gsm) |
| Standard Output Tray | Right Side Exit: Statement - 11" x 17" / 70 sheets; 12" x 18" and Banner require optional Copy Tray (D) or DF-790 Finisher |
| Electrical Requirements | 120V, 60Hz, 12.0A |
| Dimensions / Weight | Footprint: 26.96" x 28.46" x 41.45"; with Control Panel: 42.87" x 28.46" x 52.99" / 335.1 lbs |
| Max Monthly Duty Cycle | 400,000 Pages Per Month |

Paper Supply

| | |
|------------------------|---|
| Standard Paper Sources | Dual 500 Sheet Trays, Dual 1,500 Sheet Trays, 150 Sheet MPT, Auto Selection/Switching |
| Optional Paper Sources | Dual 500 Sheet Trays (PF-730), Dual 1,500 Sheet Trays (PF-740); Side LCTs: 500 Sheet Multimedia Tray (PF-780), 3,000 Sheet Large Capacity Tray (PF-770) |

| | |
|-----------------|---|
| Paper Capacity | Standard: 4,150 Sheets; Maximum: 7,650 Sheets |
| Paper Size | Trays 1, 2, PF-730, PF-780 : 5.5" x 8.5" – 12" x 18"; PF-740, PF-770 : 8.5" x 11"; MPT: 5.5" x 8.5" – 12" x 18" (Multiple Sheets); Up to 12" x 47" Banner (Single Sheet) |
| Paper Weight | Trays: 16 lb Bond – 140 lb index (60 – 256gsm); MPT: 16 lb Bond – 110 lb Cover (60 – 300gsm) |
| Input Materials | Bond Paper, Recycled Paper, Transparencies, Cardstock, Envelopes |

Print Specifications

| | |
|---------------------------------------|--|
| Standard Controller | IBM PowerPC 750GL / 916 MHz |
| PDLs / Emulations | PRESCRIBE, PCL6 (5c, XL), KPDL3 (PS3), XPS; Optional: UG–34 IBM ProPrinter, Diablo 630, LQ-850 |
| Fonts | 136 KPDL3, 93 PCL6, 8 Windows Vista, 1 Bitmap |
| Windows OS Compatibility | Windows XP/2003/Vista/2008/7 |
| Novell OS Compatibility | Novell NetWare 3.x/4.x/5.x/6.x |
| MAC OS Compatibility | Mac OS 10.x |
| UNIX OS Compatibility | Sun OS 4.1.x; Solaris 2.x; AIX; HP-UX (LPR) |
| Interfaces | Standard: 10/100/1000BaseTX, Hi-Speed USB 2.2, USB Host Interface, 2 Expansion Slots Optional: 10/100/1000BaseTX (IB-50 for Dual NIC) |
| Network Print and Supported Protocols | TCP/IP, IPX/SPX, AppleTalk, NetBEUI, IPv6, IPsec, SSL, WSD Print |
| Drivers | KX Driver, Mini Driver, KX Driver for XPS, XPS Mini Driver, Network Fax Driver, PPD for MAC |
| Utilities | PRESCRIBE, PDF Direct Print, KMnet Admin, KMnet Viewer, Kyocera Command Center RX |

Scan Specifications

| | |
|------------------------------------|--|
| Scan Resolution | 200, 300, 400, 600 dpi |
| File Formats | BW: TIFF, XPS, PDF, PDF/A; Color: TIFF, JPEG, XPS, PDF, PDF/A |
| PDF Extension | High Compression PDF, Encrypted PDF |
| Scan Speeds | Simplex: 120 ipm BW/Color (300 dpi); Duplex: 200 ipm BW, 150 ipm Color (300 dpi) |
| Connectivity / Supported Protocols | 10/100/1000BaseTX, TCP/IP |
| Scanning Functions | Scan to Folder (SMB), Scan to e-Mail, Scan to FTP, Scan to USB, WSD Scan, TWAIN Scan |
| Original Size | Through DP: Statement to 11" x 17"; Glass: up to 11" x 17" |
| Driver | TWAIN/WIA Driver |

Color and Black & White Scanner

Copy Specifications

| | |
|----------------------|---|
| Image Mode | Text, Photo, Text/Photo, Auto, Manual, Map |
| Continuous Copy | 1 – 999 / Auto Reset to 1 |
| Additional Features | Positive/Negative Reverse, Mirror Image, Rotate Copy, Border Erase, Split Copy, Electronic Sort, Margin Shift, Page Number, Form Overlay, XY Zoom, Prevent Bleed Through, Stamp |
| Job Management | 1,000 Department Codes, Job Programs, Job Build, Shortcut Keys, Repeat Copy |
| Color Adjustment | One Touch, Hue, Auto Exposure, Sharpness |
| Magnification / Zoom | Full Size, 5 Reduction, 5 Enlargement Preset Ratios, 25 – 400% in 1 step increments |
| Document Box | Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) |

Document Processor

| | |
|---------------------------------------|---|
| Type / Capacity | Dual Scan Document Processor / 270 Sheets |
| Acceptable Originals | 5.5" x 8.5" – 11" x 17" |
| Acceptable Weights (Simplex / Duplex) | Simplex: 13 lb Bond – 90 lb Index Duplex: 16 lb Bond – 90 lb Index |

Fax Specifications

| | |
|----------------------------------|---|
| Compatibility / Data Compression | G3 Fax / MMR, MR, MH, JBIG |
| Transmission Speed / Modem Speed | Approximately 3 seconds per page / 33.6 Kbps |
| Fax Memory | Standard: 12 MB; Maximum: 120 MB |
| Driver | KM Network Fax Driver |
| Fax Functions | Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax |

Optional 4,000 Sheet Finisher **DF-790**

| | |
|----------------------------|--|
| Stack / Staple Capacity | Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond (90gsm)) |
| Paper Size | 5.5" x 8.5" – 12" x 18" |
| Paper Weight | 16 lb Bond – 110 lb Cover (60 – 300gsm) |
| Edge Staple Position | 3 Positions: Top Left, Bottom Left, Center Bind |
| Optional Multi-bin Mailbox | MT-730 Includes 7 Trays; Supports 16 lb Bond – 90 lb Index (60 – 163gsm) Stack Capacity per bin: 100 Sheets: 5.5" x 8.5", 8.5" x 11"; 50 Sheets: 8.5" x 14", 11" x 17" |

| | |
|---|---|
| Optional Punch | PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm) |
| Optional Booklet Folder / Tri-fold Unit | BF-730 Booklet Folder Supports 8.5" x 11", 8.5" x 14", 11" x 17"; 16 lb Bond – 24 lb Bond (60 – 90gsm) 16 sheets; 25 lb Bond – 28 lb Bond (91 – 105gsm) 13 sheets; Fold booklet – no staple: 16 lb Bond – 24 lb Bond (60 – 90gsm) 5 sheets; 25 lb Bond – 72 lb Index (91 – 120gsm) 3 sheets; 32 lb Bond – 110 lb Cover (121 – 256gsm) 1 sheet; Trifold: 16 lb Bond – 24 lb Bond (60 – 90gsm) 5 sheets; 25 lb Bond – 72 lb Index (91 – 120gsm) 3 sheets |

Additional Options

| | |
|--|--|
| | Data Security Kit Provides Security Overwrite and Encryption for Print, Copy, and Scan, Optional System Memory, Optional Fax Memory, Original Hardcopy Holder (Document Tray), Card Authentication Kit |
|--|--|

Specifications and design are subject to change without notice.

For the latest on connectivity visit www.kyoceramita.com

All trademarks are the property of their respective owners.

Kyocera Mita America, Inc. Headquarters: 225 Sand Road, Fairfield, NJ 07004-0008, USA

©2011 Kyocera Mita America, Inc.

IC# 855D400309

